

NovaSharp™ Pearl Plus

Ideal for positive / negative high density image reproduction.

Product Description & Application

NovaSharp Pearl Plus is a polyester-based, daylight-working, zero-process, dry-to-dry film for making plate-ready offset positives (or negatives) using a desktop computer and a laser printer. The UV density of the image is comparable with silver-sensitised graphic arts films and therefore perfectly suited for exposing presensitised positive and negative offset plates.

Features & Benefits

- **Uniform toner transfer** providing high image density for direct exposure.
- **In-line stabilised** to provide superior dimensional and heat stability for good registration.
- **High toner adhesion** and UV resistant image at lower levels of toner consumption.
- **Anti-static coating** for sharp and smooth image.
- **Compatible** with most laser printers.

NovaDense Density Booster Solution




Using NovaDense Density Booster Solution on your prints will enhance image density equivalent to lith film. You can get UV density close to 2.30.

Product Specifications

- Base : Dimensionally stable polyester film
- Total Thickness : 105 microns (± 3 mic)
Also available in 93 microns thickness.
- UV Coating : Double side coated. Either side application.
- Background Density* : 0.50 - 0.60
- Image Density after use of NovaDense Density Booster* : 2.00 - 2.30
- Sizes : 210 mm x 297 mm, 297 mm x 380 mm, 297 mm x 420 mm
- Available Packing : 100 sheets. Also available in Custom / OEM packs
- Shelf-Life : Two years from the date of manufacture when stored in original packing at 20-25°C and 50-65 % RH.

* UV density of background and image density measured using Gretag Macbeth D200 - II densitometer. Test media printed on HP 1200 laser Jet printer. Media Type : Transparency, Print Mode : Best

Workflow



Media Handling and Storage

- NovaSharp Topaz, Pearl, Pearl Plus and Pearl Plus Premium can be imaged on either side of the film.
 - NovaSharp Diamond has to be imaged on the matte side identified by a notch on the top right corner of the film, when held in the portrait form.
 - Hold the media by the edges. Be careful not to scuff or scratch the printing side.
 - Store the media in a cool dry place and away from direct sunlight.
 - Store the media flat, to avoid curling, warping or damage of the edges.
 - Ensure that blank media is always kept safely in the original packing.
 - Maintain print environment at 20-25° C at 50-65% RH for optimum print quality.
-

Corporate Profile

TechNova is one of the world's largest manufacturers of digital & analog offset plates, chemicals, inkjet, laser & drafting media. Product include a full range of consumables for conventional and digital imaging systems for advertising, photography, medical imaging, signage, printing, packaging as well as textiles, engineering, architecture, geology and business graphics.

Its overseas offices and distribution network market products to over 51 countries. In the Indian sub-continent, it has over 70% market share in each of its product groups. It has technical collaborations with Agfa-Gevaert N.V.

TechNova has received the prestigious "GATF 1995 InterTech Technology Award", the Davos-based World Economic Forum's "Top-performing, Global Growth Company Award" in 1997 & the "Technology Pioneer Award" in 2000.

	International Offices	Branch Offices
	Dubai Phone : +971 50 4590655 Fax : +971 4 8810166 eMail : bhuwanu@technovaindia.com	Ahmedabad Phone : +91 (0)79 2640 5048 Fax : +91 (0)79 2640 5492
	East Africa Phone : +25 47 33975717 Fax : +25 47 36517577 eMail : girishcn@technovaindia.com	Bengaluru Phone : +91 (0)80 2320 1103 Fax : +91 (0)80 2320 6898
	United Kingdom Phone : +44 (0)20 8427 6662 Fax : +44 (0)20 8427 1162 eMail : europe@technovaworld.co.uk	Chennai (Madras) Phone : +91 (0)44 2499 0028 Fax : +91 (0)44 2499 3512
	North America Phone : +1 (682) 223 1037 Fax : +1 (469) 358 2294 eMail : jais@technovaindia.com	Delhi Phone : +91 (0)11 2331 9636 Fax : +91 (0)11 4160 5163
Corporate Office TechNova Imaging Systems (P) Limited Laxmi Mills Estate, Off Dr. E. Moses Road Mahalaxmi, Mumbai 400 011, India Phone : +91 (0)22 2741 2463 Fax : +91 (0)22 2741 0261 eMail : corp@technovaworld.com Web : www.technovaworld.com	South America Office Phone : +52 55 26 23 23 37 eMail : ericv@technovaindia.com	Hyderabad Phone : +91 (0)40 2776 6241 Fax : +91 (0)40 2776 6251
 TechNova	South Africa Office Phone : +27 11 4522802 Fax : +27 11 4522894 eMail : pravinj@technovaindia.com	Kochi (Cochin) Phone : +91 (0)484 235 0768 Fax : +91 (0)484 237 4270
HelpDesk Toll-free : 1 800 22 7474 (Only available in India) Phone : +91 (0)22 2741 2464 (Extn. 600) Fax : +91 (0)22 2740 1366 eMail : help@technovaworld.com	Sri Lanka Office Phone : +94 1153 79926 Fax : +94 1153 31098 eMail : krishnarajahp@technovaindia.com	Kolkata (Calcutta) Phone : +91 (0)33 2359 4256 Fax : +91 (0)33 2359 4254
		Mumbai (Bombay) Phone : +91 (0)22 2498 3390 Fax : +91 (0)22 2495 0322

The information provided in this product information capsule is to be used only as a guide. It does not imply any liability and shall not be binding upon the company. In pursuit of constant product improvement, specifications are subject to change without prior notice.

© July 2008. Copyright reserved for design & content. Owner, TechNova Imaging Systems (P) Limited.